

## Universal Waste Label Instructions For Lamps

University of Missouri Environmental Health & Safety 573-882-7018 http://ehs.missouri.edu/ hazmat@missouri.edu



- 1. Affix one Universal Waste Label to each collection container immediately <u>before</u> you begin using the container.
- 2. Affix the Universal Waste Label to the accumulation container such that:
  - The label is visible from the front of the container.
  - The label is oriented properly (the top of the label is "up").
- Mark an "X" in the box to the left of "UNIVERSAL WASTE LAMPS."
- 4. On the line immediately following "ACCUMULATION START DATE," write the date (Month/Day/Year) in which you began to accumulate lamps in the container.
- 5. After the container is filled, record the type(s) of lamps in the container and the count for each type on the line(s) immediately below the accumulation start date.

## **Example Label**

10	EDERAL LAW PROHIBITS IMPROPER DISPOSAL THE FOLLOWING MATERIALS ARE REGULATED AS A
UNI	VERSAL WASTE IN ACCORDANCE WITH 40 CFR PART 27: UNIVERSAL WASTE - BATTERY(IES)
	UNIVERSAL WASTE - BATTERT(IES)  UNIVERSAL WASTE - MERCURY THERMOSTAT(S)
	UNIVERSAL WASTE - PESTICIDE(S)
X	UNIVERSAL WASTE - LAMP(S)
ACC	CUMULATION START DATE: Month/Day/Year
	2 x 4' straight lamps, 6 x 2'
	raight tubes
	D.O.T. PROPER SHIPPING NAME AND UN OR NA NO. WITH PREFIX (REQUIRED DURING TRANSPORT, WHEN MATERIAL IS ALSO REGULATED BY 49CFR PARTS 172-180)
	HANDLE WITH CARE!
5	style UW02 © 2003 LABELIMASTER ® (800) 621-5808 www.labelmaster.com